EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	69	(sync$4 OR synchroniz$5) WITH ((client AND server) OR (master AND slave)) WITH role	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 15:55
S2	28089	nokia.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 13:41
S3	2218	S2 AND (sync$4 OR synchroniz$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 13:42
S4	118	S2 AND (sync$4 OR synchroniz$5) WITH ((client AND server) OR (master AND slave))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 13:44
S5	2	torma-marko.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 13:52
S6	0	(("2002059299") or ("2002059375")).PN.	US-PGPUB; USPAT	OR	OFF	2007/07/09 13:54
S7	12	spaey.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 13:53
S8	2	(("20020059299") or ("20020059375")).PN.	US-PGPUB; USPAT	OR	OFF	2007/07/11 12:39

S9	10485	(sync$4 OR synchroniz$5) WITH ((client AND server) OR (master AND slave))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:04
S10	578	(sync$4 OR synchroniz$5) WITH ((client AND server) OR (master AND slave)) WITH (switch$3 OR revers$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:05
S11	69	((sync$4 OR synchroniz$5) WITH ((client AND server) OR (master AND slave)) WITH (switch$3 OR revers$3)) SAME (role OR function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:06
S12	171	(sync$4 OR synchroniz$5) WITH ((client AND server) OR (master AND slave)) SAME role	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:15
S13	435	syncml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:16
S14	4	syncml AND ((determin$5 OR assign$4 OR choos$3) NEAR5 role)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:17
S15	147	(sync$4 OR synchroniz$5) SAME ((determin$5 OR assign$4 OR choos$3) NEAR5 role)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:18

S16	44	(sync$4 OR synchroniz$5) WITH ((determin$5 OR assign$4 OR choos$3) NEAR5 role)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:37
S17	2316	(sync$4 OR synchroniz$5) WITH (pda)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 15:40
S18	305	S17 SAME (client OR master OR slave)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:33
S19	7	S18 SAME role	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:28
S20	797	(709/248).CCLS.	US-PGPUB ; USPAT	OR	OFF	2007/07/09 14:33
S21	0	("L20AND(determin$5ORassign$4ORchoos$3)NEAR3(clientORmasterORslaveORserver)").PN.	US-PGPUB ; USPAT	OR	OFF	2007/07/09 14:34
S22	248	S20 AND (determin$5 OR assign$4 OR choos$3) NEAR3 (client OR master OR slave OR server)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:34
S24	0	S23 SAME (pda OR personal ADJ digital ADJ assistant)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:38

S25	660	(sync$4 OR synchroniz$5) WITH ((determin$5 OR assign$4 OR choos$3) NEAR3 direction)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:39
S26	22	S25 SAME (client OR master OR slave OR server)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 14:48
S27	1	("5974238").PN.	US-PGPUB ; USPAT	OR	OFF	2007/07/09 14:48
S28	170	("4897781" | "5337044" | "5392390").PN. OR ("5974238").URPN.	US-PGPUB ; USPAT; USOCR	SAME	ON	2007/07/09 15:28
S29	3	S28 AND (error WITH backup)	US-PGPUB ; USPAT; USOCR	SAME	ON	2007/07/09 15:28
S30	5	((sync$4 OR synchroniz$5) WITH pda) SAME ((error OR failure OR problem) WITH backup)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 15:41
S31	1	("20040117507").PN.	US-PGPUB ; USPAT	OR	OFF	2007/07/09 15:53
S32	1098	(sync$4 OR synchroniz$5) WITH direction WITH error	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 16:47
S33	0	S32 AND 709/248	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 15:56
S34	0	S32 AND 709/248.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 15:56

S35	0	S32 SAME (pda OR portable ADJ digital ADJ assistant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 15:56
S36	88	("5247683" | "5337044" | "5392390" | "5414844" | "5497464" | "5522089" | "5542046" | "5555416" | "5564070" | "5598536" | "5625829" | "5664228" | "5666530" | "5666553" | "5684990" | "5717737" | "5721824" | "5721835" | "5727159" | "5727202" | "5742829" | "5790800" | "5812819" | "5845090" | "5860012" | "5864708" | "5887063" | "5896369" | "5918016" | "5958006" | "5974238" | "5983176" | "6000000" | "6006274" | "6128661").PN. OR ("6272545").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2007/07/09 16:40
S37	21	709/220-222.CCLS. AND (sync$4 OR synchroniz$5) WITH direction	US-PGPUB; USPAT; USOCR	SAME	ON	2007/07/09 16:47
S38	21	(sync$4 OR synchroniz$5) WITH direction WITH role	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/09 16:47
S39	903	709/220-222.CCLS. AND (sync$4 OR synchroniz$5)	US-PGPUB; USPAT; USOCR	SAME	ON	2007/07/09 16:48
S40	64	709/220-222.CCLS. AND (sync$4 OR synchroniz$5) SAME (portable OR pda)	US-PGPUB; USPAT; USOCR	SAME	ON	2007/07/09 16:48
S41	162	(sync$4 OR synchroniz$5) WITH ((preference OR setting OR setup) NEAR2 (application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 11:34

S42	8	(US-20020161769-$ or US-20040117507-$).did. or (US-5606560-$ or US-5878095-$ or US-5689688-$ or US-5428645-$ or US-5974238-$ or US-6272545-$).did.	US-PGPUB; USPAT	SAME	ON	2007/07/10 11:31
S43	3	S42 AND mapping	US-PGPUB; USPAT	SAME	ON	2007/07/10 11:31
S44	69	(sync$4 OR synchroniz$5) WITH (mapping NEAR5 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 12:59
S45	3	(sync$4 OR synchroniz$5) WITH (error OR failure) WITH (automatic$4 NEAR2 (backup OR (back ADJ up) OR restore))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:02
S46	15	(sync$4 OR synchroniz$5) SAME (error OR failure) WITH (automatic$4 NEAR2 (backup OR (back ADJ up) OR restore))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:02
S47	43	(sync$4 OR synchroniz$5) SAME (error OR failure) SAME (automatic$4 NEAR3 (backup OR (back ADJ up) OR restore))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:04
S48	8	(automatic$4 NEAR3 restore) WITH (pda OR portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:06
S49	22	(automatic$4 NEAR3 restore) SAME (pda OR portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:06

S50	3350	(restor$3) SAME (pda OR portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:07
S51	198	(automatic$4 NEAR3 (restor$3 OR recover$3)) SAME (pda OR portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:58
S52	1	S51 SAME (sync$4 OR synchroniz$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:07
S53	1	("6748403").PN.	US-PGPUB; USPAT	OR	OFF	2007/07/10 13:13
S54	15	("5442633" | "5481721" | "5673322" | "5742668" | "5742905" | "5835061" | "5903898" | "5991771" | "6088706" | "6205448" | "6212529" | "6247135" | "6393434" | "6505214"). PN. OR ("6748403").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2007/07/10 13:54
S55	2	S54 AND ((restor$5 OR recover$3) NEAR5 (failure OR error OR loss))	US-PGPUB; USPAT; USOCR	SAME	ON	2007/07/10 13:55
S56	422	(automatic$4 WITH (restor$3 OR recover$3)) SAME (pda OR portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 15:47
S57	1	S56 AND 709/220-222,248. CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 13:58

S58	10	(US-20020161769-$ or US-20040117507-$).did. or (US-5606560-$ or US-5878095-$ or US-5689688-$ or US-5428645-$ or US-5974238-$ or US-6272545-$ or US-6748403-$ or US-5991771-$).did.	US-PGPUB ; USPAT	SAME	ON	2007/07/10 14:06
S59	1	S58 AND (error OR failure) SAME (recover$3 OR restor$5)	US-PGPUB ; USPAT	SAME	ON	2007/07/10 14:12
S60	24	((error OR failure) NEAR2 (message OR returned)) SAME (coherency OR sync$4 OR synchroniz$5 OR replica) SAME (pda OR portable OR palm OR handheld)	US-PGPUB ; USPAT	SAME	ON	2007/07/10 14:14
S61	38	palm.as. AND (sync$4 OR synchroniz$5).ti.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 15:54
S62	1	S61 AND (error OR failure OR problem) WITH (recover$3 OR restor$5)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 14:26
S63	1	("5666530").PN.	US-PGPUB ; USPAT	OR	OFF	2007/07/10 15:45
S64	0	hotsync SAME error SAME (recover$3 OR restor$5)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 15:45
S65	0	hotsync SAME failure SAME (recover$3 OR restor$5)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 15:45

S66	11	(automatic$4 WITH (restor$3 OR recover$3)) SAME (pda OR palm) SAME (error OR failure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 15:53
S67	1	("6728786").PN.	US-PGPUB; USPAT	OR	OFF	2007/07/10 15:53
S68	63	palm$.as. AND (sync$4 OR synchroniz$5).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 16:06
S69	17	S68 AND (error OR failure OR backup OR (back$3 ADJ up) OR recover$2 OR restor$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 16:04
S70	27	palm$.as. AND (sync$4 OR synchroniz$5) SAME (error OR failure OR backup OR (back$3 ADJ up) OR recover$2 OR restor$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 16:15
S71	0	palm$.as. AND (sync$4 OR synchroniz$5) SAME (error OR failure OR backup OR (back$3 ADJ up) OR recover$2 OR restor$5) SAME (corrupt$3 OR permiss$3 OR missing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 16:16
S72	2854	(sync$4 OR synchroniz$5) SAME (error OR failure OR backup OR (back$3 ADJ up) OR recover$2 OR restor$5) SAME (corrupt$3 OR permiss$3 OR missing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 17:11
S73	25	S72 SAME (pda OR palm OR handheld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 16:16

S74	2335	(sync$4 OR synchroniz$5) SAME (error OR failure) SAME (corrupt$3 OR permiss$3 OR missing)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 17:12
S75	318	(sync$4 OR synchroniz$5) SAME (error OR failure) SAME (corrupt$3 OR permiss$3 OR missing) SAME message	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 17:12
S76	101	(sync$4 OR synchroniz$5) SAME ((error OR failure) NEAR3 message) SAME (corrupt$3 OR permiss$3 OR missing)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/10 17:12
S77	4	syncml SAME error SAME initialization	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/11 11:04
S78	5	syncml SAME (error ADJ message)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/11 11:05
S79	21	syncml same error	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/07/11 12:39